SAFETY DATA SHEETS

AQUACLEAN

Version: 3

1 LITRE JERRY CAN 5 LITRE JERRY CAN

Issue date: 1ST Feb 2025

1. IDENTIFICATION OF CHEMICAL PRODUCT AND COMPANY

Chemical nature: Water solution of surfactants and other minor ingredients.

SUPPLIER: The Urinal Shop ABN 89 101 595 699

104 Tuggerawong Rd Wyongah NSW 2259 Telephone 1800 875 624

MANUFACTURER: Muraban Laboratories

Address: U12 / 12 Yatala Rd, Mt Kuring-gai NSW 2080

Phone:

EMERGENCY PHONE No. Poisons Information Centre Phone 131 126 anywhere in Australia.

PRODUCT USE: See label for details of methods of use.

2. HEALTH HAZARDS IDENTIFICATION

Statement of Hazardous Nature

This product is classified as: Not classified as hazardous according to the criteria of SWA Australia.

Not a Dangerous Good according to Australian Dangerous Goods (ADG) Code, IATA and IMDG/IMSBC criteria.

Risk Phrases: Not Hazardous - No criteria found. **Safety Phrases:** Not Hazardous - No criteria found.

SUSMP Classification: None allocated.

ADG Classification: None allocated. Not a Dangerous Good under the ADG Code.

UN Number: None allocated

GHS Signal word: NONE. Not hazardous.

PREVENTION

P262: Do not get in eyes, on skin, or on clothing. **P281**: Use personal protective equipment as required.

RESPONSE

P337: If eye irritation persists: seek medical attention.

P352: Wash with plenty of soap and water.

P301+P330+P331: IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. **P370+P378:** Does not burn. Use extinguishing agents suited to surrounding fire.

STORAGE

P402+P404: Store in a dry place. Store in a closed container.

DISPOSAL

P501: If no in-house recycle or reclaim resources are suitable for this product, contact a specialist waste

disposal company (see Section 13 of this SDS).

POTENTIAL HEALTH EFFECTS

Health effects are unlikely to occur from overexposure. No adverse health effects expected.

Acute

Swallowed: Ingestion is not expected to cause irritation or acute toxic effects. Ingestion of large

quantities may result in nausea, stomach pain and vomiting.

Eye: Contact with the eyes may cause minor irritation if not washed out immediately

Skin: Contact with the skin is not expected to cause irritation, however, repeated or prolonged

contact may cause de-fatting of skin.

Inhaled: Inhalation of mist, spray or gas may cause minor irritation to airways.

CHRONIC (LONG TERM) EFFECTS: Repeated contact with skin may lead to dermatitis. No ingredient

reported as sensitising or carcinogenic in animal tests.

CARCINOGEN STATUS: Not classified by SWA, NTP or IARC

3. COMPOSITION INFORMATION AND INGREDIENTS

CAS No. CONCENTRATION TWA(mg/m³) STEL(mg/m³

Ingredients non-hazardous according to SWA criteria

Non-Hazardous ingredients Confidential 10% to 30% not set not set

Water 7732-18-5 to 100% not set not set

This is a commercial product whose exact ratio of components may vary slightly. Minor quantities of other non-hazardous ingredients are also possible. The TWA exposure value is the average airborne concentration of a particular substance when calculated over a normal 8 hour working day for a 5 day working week. The STEL (Short Term Exposure Limit) is an exposure value that should not be exceeded for more than 15 minutes and should not be repeated for more than 4 times per day. There should be at least 60 minutes between successive exposures at the STEL. The term "peak "is used when the TWA limit, because of the rapid action of the substance, should never be exceeded, even briefly.

4. FIRST AID MEASURES

For advice, contact a Poisons Information Centre Phone 131 126 anywhere in Australia, or a doctor.

INHALATION: If mist or aerosol has been inhaled, remove from contaminated

area. Consult a doctor if symptoms arise.

SKIN CONTACT: If skin or hair contact occurs, remove contaminated clothing and

flush skin and hair immediately with running water until the skin is

no longer slippery. Consult a doctor if symptoms arise.

EYE CONTACT: If in eyes, hold eyelids apart and flush the eye continuously with

running water. Continue flushing until advised to stop by Poisons Information Centre or doctor, but in any case, for at least 15

minutes. Consult a doctor if symptoms arise.

INGESTION: If swallowed, do **NOT** induce vomiting. Rinse mouth with water.

Give a glass of water to drink. Consult a doctor if symptoms arise.

FIRST AID FACILITY: It is advisable to keep an eye wash station where the liquid is used.

5. FIRE-FIGHTING MEASURES

FIRE AND EXPLOSION HAZARDS: Not flammable or combustible.

EXTINGUISHING MEDIA: Use extinguishing media appropriate to surrounding fire conditions.

Remove containers not involved in the fire from the vicinity. Water

spray/fog, dry chemical, CO₂ or foam are preferred media.

FIRE FIGHTING: Evacuate area to upwind of fire. Summon Fire Service immediately.

Emergency workers should wear full protective equipment and supplied breathing apparatus. Toxic or irritating particulates, vapours or gases may be produced. Spray water on containers to

cool to prevent over-pressure.

6. ACCIDENTAL RELEASE MEASURES

Wear Personal Protective Equipment shown in Section 8. Seal leak. Place leaking containers in overbin, label for disposal. Contain spill with absorbent material such as dry sand. Do not allow to enter drains or sewer. Sweep up used absorbent and place in labelled container. Damp down contaminated area with water, cover with absorbent and sweep up and place in labelled container. Negotiate

disposal with Waste authority for jurisdiction.

OCCUPATIONAL RELEASE: As for accidental release.

7. HANDLING AND STORAGE

Not Classified as Dangerous Goods (DG). Store away from heat.

STORAGE: Store in cool place, preferably below 25°C. If storage space regularly has large temperature changes condensation may occur inside the drum and hence cause the preservative to deteriorate and hence the product will smell and will no longer be usable.

DO NOT ADD WATER TO DRUM as the water will cause the preservative to become more diluted and hence the product will deteriorate.

8. EXPOSURE CONTROL & PERSONAL PROTECTION

EXPOSURE LIMITS: TWA = None established

STEL= None established

The Time Weighted Average (TWA) is the concentration of the substance in the worker's breathing zone, exposure to which over 8-hour days, 5-day weeks over a working lifetime, should not cause any undue discomfort or health impairment to nearly all workers. The Short Term Exposure Limit (STEL), means a 15 minute TWA exposure which should not be exceeded and should not be repeated within 60 minutes or more than four times per day.

Engineering Controls: Natural ventilation is expected to be adequate.

Personal Protection:

VENTILATION: Mechanical ventilation is not required in normal use where there is good

natural ventilation. Avoid breathing spray or mist.

RESPIRATOR: Not required for normal use in a well ventilated area.

EYE PROTECTION: Avoid contact with eyes. Wear eye protection complying with AS 1337 of type:

safety glasses or goggles.

SKIN PROTECTION: When decanting/handling concentrate from original container, avoid contact with

skin. Wear impervious gloves complying with AS 2161 of type: PVC-coated cotton.

Flammability: Not flammable or combustible.

9. PHYSICAL & CHEMICAL PROPERTIES

STATE: Liquid. COLOUR: Yellow

ODOUR: Lemon perfumed SG: ~1 @ 20 ° C

VISCOSITY: 60" using B4 brass cup @ 20 ° C

NB viscosity drops dramatically above 25°C

WATER SOLUBILITY: Miscible in all proportions

pH 7

FLASH POINT: None AUTOIGNITION TEMP: None

LOWER EXPLOSIVE LIMIT: Not applicable UPPER EXPLOSIVE LIMIT: Not applicable

10. STABILITY & REACTIVITY

REACTIVITY: Stable.

CONDITIONS TO AVOID: Store in cool place, preferably below 25°C. Do not add water to

drum. If storage space regularly has large temperature changes condensation may occur inside the drum and hence cause the preservative to deteriorate and hence the product will smell and will

no longer be usable.

SHELF LIFE: 2 years from manufactured date

INCOMPATIBILITIES: None identified

HAZARDOUS DECOMPOSITION: No decomposition expected at normal temperatures.

POLYMERISATION: No hazardous polymerisation will occur.

STABILITY: Towards the end of its shelf life a milky white opacifier

emulsion may appear at the bottom of the liquid. Simply shake the drum and it will remix into the liquid. This emulsion is simply part of the colouring additive. The performance of the product will remain stable.

11. TOXICOLOGICAL INFORMATION

LOCAL EFFECTS OF PRODUCT: If in eyes, may cause minor irritation. Contact with skin may cause

irritation on prolonged or repeated contact and may cause de-fatting and tendency to dermatitis. Inhalation of spray mist expected to be slightly irritant to respiratory tract. Ingestion may cause minor

irritation of the throat and oesophagus

TARGET ORGANS: Eyes, skin, respiratory systems and digestive tract.

No data on the product mixture is available. Hazard estimated from

consideration of hazardous ingredient concentration.

HAZARDOUS INGREDIENT: None

SENSITISING: Not a sensitiser.

MUTAGENICITY DATA: No data found. REPRODUCTIVE EFFECTS: No data found.

12. **ECOLOGICAL INFORMATION** Does not contain heavy metals.

TOXICITY TO FISH:

TOXICITY TO DAPHNIA:

TOXICITY TO ALGA:

TOXICITY TO BACTERIA:

No data on product
No data on product
No data on product

READY BIODEGRADABILITY: Expected to be biodegradable to < 90% in 28 days.

ENVIRONMENTALLY FRIENDLY

No Phosphates

No Solvents

pH Neutral

Surfactants in this product have been tested for Biodegradability according to Australian Standard AS4351. Products were tested according to Part 2 and Part 5 of the standard.

Part 2 of the standard is technically equivalent to ISO 7827-1994 and is based on the OECD "Ready Biodegradability" Tests 301 and 301E.

Part 5 of the standard is technically equivalent to ISO 10707-1994 and is based on the OECD "Ready Biodegradability" Tests 301 and 301D.

13. DISPOSAL CONSIDERATIONS

PREFERRED METHOD OF DISPOSAL: If the liquid cannot be salvaged and used, arrange disposal

with waste authority to the hazardous liquid disposal facility. Landfill disposal of solids may be possible, if approved by local authority. Triple rinse containers into the cleaning liquid and recycle container, if recycling system is available.

14. TRANSPORT INFORMATION & STORAGE CLASS

ADG CODE REQUIREMENTS: None

UN No.:

PROPER SHIPPING NAME:

ADG CODE CLASS: ADG CODE SUB-RISK: PACKING GROUP:

INITIAL RESPONSE GUIDE:

SPECIAL PROVISION:

STORAGE: Store in cool place, preferably below 25°C. Do not add water to drum. If storage space regularly has large temperature changes, from hot to cold and visa versa, condensation may occur inside the drum and hence cause the preservative to deteriorate and hence the product will smell and will no longer be usable. This product has high viscosity in winter and low viscosity in summer.

15. REGULATORY INFORMATION

AICS STATUS OF INGREDIENTS: According to information available, all ingredients are present in the Australian Inventory of Chemical Substances and the product is legal to import or manufacture.

16. OTHER INFORMATION

This SDS contains only safety-related information. For other data see product literature.

Acronyms:

ADG Code Australian Code for the Transport of Dangerous Goods by Road and Rail

AICS Australian Inventory of Chemical Substances
CAS Number Chemical Abstracts Service Registry Number

Hazchem Code Emergency action code of numbers and letters that provide information to

emergency services specially firefighters

SWA Safe Work Australia, formerly ASCC and NOHSC INTERNATIONAL INTERNATIONAL Agency for Research on Cancer

NOS Not otherwise specified

NTP National Toxicology Program (USA)

R-Phrase Risk Phrase

SUSMP Standard for the Uniform Scheduling of Medicines & Poisons

UN Number United Nations Number

CONTACT: Shane Turner: 1800 874 625

NEXT REVISION DATE: Not later than 31st January, 2030 but may require revision when new or better

information becomes available.

VERSION AUTHORISED BY: Troy Gow Position: Manager Date: 1st Feb 2025

SUPPLIER STATEMENT and IMPORTANT DISCLAIMER

All information given in this data sheet and by the company's technical staff is compiled from the best information currently available to the company. The company accepts no responsibility whatsoever for its accuracy or for any results which may be obtained by customers. Any customer who relies upon any advice or information given in this data sheet by the company or by its directors and staff does so entirely at their own risk and the company will not be liable for any loss or damage thereby suffered not withstanding any want of care on the part of the company, its directors or its staff in compiling or giving the advice or information. This SDS is based on information known to the company at this time by its directors and staff. The Urinal Shop, their directors and staff have taken all reasonable precautions in preparing this SDS, however The Urinal Shop, their directors and staff and the authors and consultants involved in preparing the report are not responsible for the results of any actions taken on the basis of information provided nor for any error therein

or omission therefrom.

The Urinal Shop, their directors and staff and the authors of the SDS expressly disclaim all and any liability and responsibility to any person in respect of anything and of the consequences of anything done or omitted to be done by any such person in reliance, whether wholly or partially, upon the whole or any part of the contents of the SDS. The Urinal Shop, their directors and staff cannot anticipate or control conditions under which the product may be used, hence each user must prior to usage, review and rely on their own best judgements after reviewing all the information on this SDS in context of how the user intends to handle and use the product in the workplace. This product's use is intended for use in a commercial establishment.

Health or safety data given may indicate a risk to a purchaser. It is the responsibility of the purchaser to pass onto staff and others the information needed, to ensure adequate safety procedures are used including good hygiene.