



MATERIAL SAFETY DATA SHEET

Company:	Aquatemp Environmental Solutions Pty Ltd
Address:	26/75 Waterway Drive, Coomera, Qld 4209
Telephone No.:	1800 999 010
Fax No.:	+61 7 5561 8107
Email:	gary@aquatemp.com.au

Identity: ZeroFlush Odour Barrier Oil – Waterless Urinal Odour Blocking Agent	
---	--

Section 1

Manufacturer:	Aquatemp Environmental Solutions
Address:	26/75 Waterway Drive, Coomera, Qld 4209
Emergency Telephone No.:	131126 Poison Control
Telephone No. For information:	1800 999 010
Date Prepared:	30 April 2019

Section 2: Hazardous Ingredients/Identity Information

Hazardous Components (Specific Chemical Identity, Common Names)	Proprietary Plant Oil, Fully refined, FD&C blue 1 AL lake 35-42
Case Number:	N/A
ACGIH TLV Recommended:	N/A
% (Optional):	N/A

Section 3: Physical/Chemical Characteristics

Boiling Point:	>100 C	Specific Gravity (H 0 = 1):	0.870
Vapour Pressure (mm Hg.):	N/A	Melting Point:	N/A
Vapour Density (A/R = 1):	N/A	Evaporation Rate (Butyl Acetate = 1):	N/A
Solubility in Water:	Insoluble	Appearance and Odour:	Blue Liquid / Bland

Section 4: Fire and Explosion Hazard Data

Flash Point (Method used):	>100 C	LEL:	N/A
Flammable Limits:	Not Determined	UEL:	N/A
Extinguishing Media:	Water, Carbon Dioxide, Foam		
Special Fire Fighting Procedures:	Wear Self-contained breathing apparatus and full protective equipment		
Usual Fire and Explosion Hazards:	Extinguish all nearby sources of ignition		

Section 5: Reactivity Data

Stability:	Stable	Conditions to Avoid:	Oxidation promoting conditions (e.g. Heat/sunlight)
Incompatibility (Materials to Avoid):	Pro-Oxidants		
Hazardous Decomposition or By products:	None		
Hazardous Polymerization:	Will not occur		

Section 6: Health Hazard Data

Route(s) of EntryL	Inhalation? Breathing dust or mist may Irritate the nose and throat	Skin? Repeated or prolonged contact may cause irritation or drying	Ingestion? Swallowing large quantities may cause nausea, vomiting, diarrhea and abdominal pain
Health Hazards (Acute and Chronic):	None known		
Carcinogenicity:	NTP National Toxicology Program	NARC Monographs? International Agency for Research on cancer	OSHA Regulated? N/A
Signs and Symptoms of Exposure:	See Section II		
Medical Conditions Generally Aggravated by Exposure:	N/A		
Emergency and First Aid Procedures:	General recommendations: No immediate medical attention required. Eyes: Flush eyes with a large amount of water for at least 15 minutes. Consult a physician if irritation persists. Skin: Wash affected areas with water. Consult a physician if irritation persists. Ingestion: Not dangerous – edible vegetable oil. Never give anything by mouth to an unconscious person.		
Chronic Overexposure:	None Known		

Section 7: Precautions for Safe Handling and Use

Steps To be Taken in Case Material is Released or Spilled:	Contain, collect and dispose of
Waste Disposal Method:	Per local, state and federal regulations
Precautions To be Taken in Handling and Storing:	Handle with care and avoid spillage on the floor – spillage can cause slippage hazard. Store in a cool dry place in original packaging
Other Precautions:	N/A

Section 8: Control Measures

Respiratory Protection (Specify Type):	Not needed			
Ventilation:	Local Exhaust: Needed		Special: N/A	
	Mechanical: N/A		Other: N/A	
Protective Gloves:	N/A	Eye Protection	n:	N/A
Other Protective Clothing or Equipment:	N/A			
Work/Hygienic Practices:	Normal			

Section 9: Special Precautions

Precautions for Handling and Storing:	Store in cool dry place in original packaging
---------------------------------------	---

Section 10: Shipping Data

D.O.T. Proper Shipping Name:	Not required
Hazardous Substance 49CFR CERCLA:	None
D.O.T. Hazard Class:	None
D.O.T. Labels Required:	No
D.O.T. Placards Required:	No
Poison Constituent:	No
Bill Of Lading Description:	Sealant
Packing Group:	None
UN/NA Code:	None

Legal Disclaimer: The information contained herein has been complied by Aquatemp Environmental Solutions from outside sources and is provided for reference Purposes only. In providing this information, Aquatemp Environmental Solutions makes no guarantee or warranty, and assumes no liability with respect to the accuracy or completeness of such information or the results described herein will be obtained. Aquatemp Environmental Solutions disclaims all warranties of merchantability and fitness for a particular purpose other than for specific use with the patented waterless urinal system.